

Notified Body No. 1121

# UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND CERTIFICATE OF TYPE APPROVAL

(EC Certificate of Type Examination-96/98/EC Directive Module B)

Certificate Number: 164.112/1121/WCL MED0325TE

Applicant:- Pyrotek Pty. Ltd Manufacturer:- Pyrotek Pty. Ltd

Address:- 147-149 Magowar Road, Girraween, 147-149 Magowar Road, Girraween,

NSW 2145, Australia NSW 2145, Australia

This is to certify that the applicant has submitted details of a Surface Material with Low flame-spread and low smoke and toxic fume characteristics (Item Number A.1/3.18 (a): Decorative veneers for use on bulkheads and decks, known and designated as:-

### "Decidamp® CLD"

having the technical specification given in the schedule of equipment on this certificate which has been tested and complies with the recommended criteria given in the following methods, published by the International Maritime Organisation, and which are contained in the relevant parts of the International Code for Application of Fire Test Procedures (FTP Code) namely:-

- IMO Resolution A653(16)
- IMO Resolution MSC 61(67) Annex 1 Part 5 and Annex 2.
- IMO Resolution MSC 61(67) Annex 1 Part 2 and Annex 2.
- MSC/Circ.1120, 2 June 2004

This certificate is issued on behalf of the Maritime and Coastguard Agency (MCA). The system complies with the relevant international testing standards under which legislation (The Merchant Shipping Marine Equipment) Regulations 1999 and also the Marine Equipment Directive 96/98 as amended, the certificate is issued.

The manufacturer is allowed to affix the U.S. Coast Guard approval number 164.112/1121/WCL MED0325 as allowed by the "Agreement between the European Community and the United States of America on Mutual Recognition of Certificates of Conformity for Marine Equipment" signed February 27<sup>th</sup>, 2004.

P Duggan Manager

Warrington Certification Limited

Holmesfield Road Warrington WA1 2DS Date of Original Issue 4<sup>th</sup> July 2011

Revised on 23<sup>d</sup> April 2013 and on 29<sup>th</sup> October 2014

Date of Re-issue: 12th May 2016

This certificate is valid until 11<sup>th</sup> May 2021

This certificate is not valid for equipment, the design or manufacture of which, has been varied or modified from the specimens tested.





This certificate does not entitle the use of the Mark of Conformity, which requires an additional module, either D, E or F;

Under the terms of the Merchant Shipping (Marine Equipment Regulations 1991) Warrington Certification Ltd has been notified to the European Commission by the Maritime and Coastguard Agency as a body authorized to conduct Type Examinations under the provision of the European Council Directive 96/98/EC on Marine Equipment and issue Certificates of Type Approval.

#### **Certificate of Type Approval Schedule of Equipment**

The applicant declared that the following comprises an accurate description of the system type to which this certificate applies.

General description		Aluminium foil faced polymer damping sheet core adhered
		to aluminium sheeting
Product reference of composite		"Decidamp® CLD "
Manufacturer of composite		Pyrotek Pty Ltd
Overall thickness		Between 2.1 to 2.4mm (stated by sponsor)
		2.31mm (determined by <b>Exova Warringtonfire</b> )
Overall density		2.4g/cm³ (stated by sponsor)
ļ		2.38g/cm³ (determined by <b>Exova Warringtonfire</b> )
Foil	Product reference	"Aluminium Foil"
	Generic type	Aluminium foil
	Name of manufacturer	Alcoa
	Thickness	See Note 1 below
	Colour	"Silver"
	Flame retardant details	See Note 2 below
Adhesive	The facing was auto adhesively bonded to the core during the manufacturing process	
Core	Generic type	Polymer damping sheet
		See Note 1 below
	Product reference	"Decidamp® CLD "
	Name of manufacturer	Pyrotek Pty Ltd
	Thickness	See Note 1 below
	Colour	"Black"
	Weight per unit area	See Note 1 below
	Flame retardant details	See Note 2 below
Adhesive	The facing was auto adhesively bonded to the core during the manufacturing process	
Substrate	Product reference	"Aluminium Sheet"
	Generic type	Aluminium sheet
	Name of manufacturer	Alcoa
	Thickness	1.0mm
	Weight per unit area	2.6kg/m <sup>2</sup>
	Flame retardant details	The substrate is inherently flame retardant
Brief description of manufacturing process		Aluminium foil is heat-laminated onto a viscous polymer layer and combined with a pressure sensitive adhesive layer

Note 1. The sponsor of the test has provided this, or further information, but at the specific request of the sponsor, these details have been omitted from the certificate and are held on the confidential file relating to this investigation.

Note 2. The sponsor of the test has confirmed that no flame retardant additives were utilised in the production of the component.

The under noted documents have been approved for compliance with the relevant requirements of International Conventions and European Union Legislation for the EC Type examination of Marine Equipment for use on Ships Registered in the European Economic Area.

#### **Approved Documents - Test Reports**

- (1) WARRES No. 308442 Surface Flammability test to IMO A653 (16), Part 5, Annex 1 and Annex of the Fire Test Procedures Code, Resolution MSC61 (67).
- (2) Smoke and Toxicity is satisfied by meeting the total heat release  $(Q_t)$  and peak heat release  $(Q_p)$  as stated in IMO Fire Test Procedures Code, Annex 2 Section 2.2

Certificate Number: 164.112/1121/WCL MED0325TE

Warrington Certification Limited Holmesfield Road Warrington WA1 2DS





SYDNEY OFFICE

Pyrotek Pty. Ltd. A3N 30 001 824 371 147-149 Magowar Road Girraween, NSW 2145 Australia

T. +61 (0)2 8868 2000 pyrotek.info

## **EC Declaration of Conformity**

We hereby declare that the following specified equipment complies with the Marine Equipment Directive 2014/93/EU.

Product name	EC directive Item Number	EC Type-Examination Certificate No.
Decidamp® CLD	MED/3.18a	164.112/1121/WCL MED0325TE

As manufactured by,

Manufacturer: Pyrotek Pty Ltd.
Manufacturer Address: 147-149 Magowar Rd

Girraween 2145 NSW

**AUSTRALIA** 

This material has been tested to verify compliance with the following Regulations and Testing Standards by the International Maritime Organization (IMO), which contains relevant parts of the International Code for Applications of Fire Test Procedures (FTP), which include:

- IMO Resolution MSC. 307(88) Annex 1 (or equivalent) FTP Part 5
- Smoke and Toxicity IMO FTP Code Annex 1 Part 2 or Annex 2 section 2.2
- IMO MSC/Circ. 1120, 2 June 2004.

As per,

Quality Systems Certificate No. MEDD000015N, Issued by DNV GL, Notified Body No: 0575.

The technical documentation for this equipment is retained at the following address: 147-149 Magowar Rd, Girraween 2145 NSW AUSTRALIA.

Appointed by the manufacturer as the responsible person for signing this Declaration:

Benjamin Dowdell Senior R&D Scientist

